

L Number	Hits	Search Text	DB	Time stamp
2	0	(single near3 (IC or (integrated adj2 (device chip) chip)) with UART) same configurable	USPAT; US-PPGPUB	2003/07/31 16:27
3	0	(single near3 (IC or (integrated adj2 (device chip) chip)) with UART) same configurable	USPAT; US-PPGPUB	2003/07/31 16:27
4	0	(single near3 (IC or (integrated adj2 (device chip) chip)) with UART) same configurable\$3	USPAT; US-PPGPUB	2003/07/31 16:27
1	45	single near3 (IC or (integrated adj2 (device chip) chip)) with UART	USPAT; US-PPGPUB	2003/07/31 16:27
5	40	single near3 (IC or (integrated adj2 (device chip) chip)) with UART	USPAT	2003/07/31 16:27
6	179	configurable with (peripheral UART serial adj communication)	USPAT	2003/07/31 16:42
7	1	(configurable with (peripheral UART serial adj communication)) and (fixed single one) near2 baud adj rate	USPAT	2003/07/31 16:41
8	1	(configurable with (peripheral UART serial adj communication)) and (fixed single one) near2 baud adj rate	USPAT	2003/07/31 16:41
9	179	configurable with (peripheral UART serial adj communication)	USPAT	2003/07/31 16:42
11	30	(configurable with (peripheral UART serial adj communication)) and baud adj rate	USPAT; US-PPGPUB	2003/07/31 18:01
12	10	(("4796234") or ("5193199") or ("5220673") or ("5257380") or ("5307464") or ("5426744") or ("5455923") or ("5950222") or ("6145020") or ("6272584")).PN.	USPAT; US-PPGPUB	2003/07/31 18:14
13	0	peripheral adj devices with UART with flash adj memory	USPAT; US-PPGPUB	2003/07/31 18:14
14	38	peripheral adj devices with UART with memory	USPAT; US-PPGPUB	2003/07/31 18:50
15	0	UART with one adj baud adj rate	USPAT	2003/07/31 18:51
16	303	UART with baud adj rate	USPAT	2003/07/31 18:51
17	62	(UART with baud adj rate) with (one single limited)	USPAT	2003/07/31 19:25
18	1	("5307464").PN.	USPAT; US-PPGPUB	2003/07/31 19:25
19	1	((("5307464").PN.) and peripheral	USPAT; US-PPGPUB	2003/07/31 19:26

	99	("5402014" "5379382" "4509113" "4866667" "5257393" "5414380" "5428748" "5561826" "5610912" "5787306" "5889970" "5918068" "5940783" "5991546" "6029155" "6044428" "6111859" "6493803" "4827408" "5808485" "5423697" "5559751" "5911055" "6380759" "5983014" "5528758" "5574859" "5666495" "4604692" "5185881" "5237692" "5261114" "5280283" "5367644" "5408624" "5642110" "5740385" "5813022" "5819099" "5830772" "5864300" "5923545" "5926629" "5974492" "6012111" "6041401" "6058443" "6101560" "6263385" "5812004") .pn. ("6014051" "4470113" "4314354" "4330842" "4470111" "4486825" "4556881" "4589089" "4614880" "4818993" "4941157" "5205486" "5247621" "5339395" "5359717" "5416726" "5506815" "5544082" "5561818" "5619189" "5640571" "5652870"	USPAT; US-PPGPUB	2003/07/31 07:57
Search History	7/31/2003 8:00:57 PM	Page 2		

-	11	(US-4604692-\$ or US-4827408-\$ or US-5402014-\$ or US-5414380-\$ or US-5428748-\$ or US-5561826-\$ or US-5812867-\$ or US-5918068-\$ or US-6029155-\$ or US-6044428-\$ or US-6216191-\$).did.	USPAT	2003/07/31 09:10
-	271	configurable with (peripheral UART serial adj communication)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/31 16:39
-	29	configurable with UART	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/31 12:54
-	271	configurable with (peripheral UART serial adj communication)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/31 12:54
-	30	configurable with UART	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/31 13:09
-	21	(("4006457") or ("4071887") or ("4156932") or ("4187394") or ("4509113") or ("4682304") or ("4823312") or ("4841440") or ("4843389") or ("4930065") or ("4964124") or ("4982325") or ("5063494") or ("5134691") or ("5179661") or ("5793999") or ("5805922") or ("5907719") or ("5991546") or ("6035344") or ("6256687")).PN.	USPAT; US-PGPUB	2003/07/31 16:25